

The group G is isomorphic to the group labelled by ["could not identify G"] in the Small Groups library.
 Ordinary character table of $G \cong \mathrm{PSU}(3,3)$:

a	$3a$	$3b$	$4a$	$4b$	$4c$	$6a$	$7a$	$7b$	$8a$	$8b$	$12a$	$12b$
1	1	1	1	1	1	1	1	1	1	1	1	1
2	-3	0	-2	-2	2	1	-1	-1	0	0	1	1
1	-2	1	3	3	-1	2	0	0	-1	-1	0	0
3	-2	1	$-1 + 2 * E(4)$	$-1 - 2 * E(4)$	1	0	0	0	$E(4)$	$-E(4)$	$-1 + E(4)$	$-1 - E(4)$
3	-2	1	$-1 - 2 * E(4)$	$-1 + 2 * E(4)$	1	0	0	0	$-E(4)$	$E(4)$	$-1 - E(4)$	$-1 + E(4)$
2	5	-1	2	2	2	1	0	0	0	0	-1	-1
5	3	0	1	1	1	-1	0	0	-1	-1	1	1
1	3	0	$-3 + 2 * E(4)$	$-3 - 2 * E(4)$	-1	1	0	0	$-E(4)$	$E(4)$	$E(4)$	$-E(4)$
1	3	0	$-3 - 2 * E(4)$	$-3 + 2 * E(4)$	-1	1	0	0	$E(4)$	$-E(4)$	$-E(4)$	$E(4)$
3	0	0	3	3	-1	0	-1	-1	1	1	0	0
4	1	1	$4 * E(4)$	$-4 * E(4)$	0	-1	0	0	0	0	$-E(4)$	$E(4)$
4	1	1	$-4 * E(4)$	$4 * E(4)$	0	-1	0	0	0	0	$E(4)$	$-E(4)$
0	-4	-1	0	0	0	0	$-E(7)^3 - E(7)^5 - E(7)^6$	$-E(7) - E(7)^2 - E(7)^4$	0	0	0	0
0	-4	-1	0	0	0	0	$-E(7) - E(7)^2 - E(7)^4$	$-E(7)^3 - E(7)^5 - E(7)^6$	0	0	0	0

Trivial source character table of $G \cong \mathrm{PSU}(3,3)$ at $p = 3$

$$P_1 = Group([()]) \cong 1$$

$$P_2 = \text{Group}([(2, 18, 16)(3, 23, 20)(4, 12, 15)(5, 27, 28)(6, 14, 10)(7, 22, 9)(8, 24, 25)(11, 17, 13)(19, 26, 21)]) \cong C_3$$

$$P_3 = \text{Group}([(2, 26, 3)(4, 7, 24)(5, 13, 10)(6, 27, 11)(8, 15, 9)(12, 22, 25)(14, 28, 17)(16, 19, 20)(18, 21, 23)]) \cong C_3$$

$$P_4 = \text{Group}([(2, 27, 4)(3, 14, 8)(5, 15, 16)(6, 25, 20)(7, 19, 17)(9, 21, 11)(10, 24, 23)(12, 18, 28)(13, 22, 26), (2, 18, 16)(3, 23, 20)(4, 12, 15)(5, 27, 28)(6, 14, 10)(7, 22, 9)(8, 24, 25)(11, 17, 13)(19, 26, 21)]) \cong C_{120}$$

$$P_5 = Group([(2, 26, 3)(4, 7, 24)(5, 13, 10)(6, 27, 11)(8, 15, 9)(12, 22, 25)(14, 28, 17)(16, 19, 20)(18, 21, 23), (2, 6, 22)(3, 17, 4)(5, 8, 26)(7, 16, 10)(9, 18, 14)(11, 15, 20)(12, 23, 13)(19, 28, 25)(21, 27, 24)]) \cong (C_3 \times C_3) : C_3$$

$$N_1 = \text{Group}([(2,3)(4,6)(5,8)(7,11)(9,13)(10,15)(12,14)(16,20)(17,22)(18,23)(24,27)(25,28), (1,2,4,7,12,17)(3,5,9,14,19,22)(6,10,13,18,24,23)(8,11,16,21,26,28)(20,25,27)]) \cong \text{PSU}(3,3)$$

$$N_3 = \text{Group}([(3, 26)(4, 27)(5, 15)(6, 7)(8, 13)(9, 10)(11, 24)(12, 28)(14, 22)(17, 25)(19, 20)(21, 23)), (2, 26, 3)(4, 7, 24)(5, 13, 10)(6, 27, 11)(8, 15, 9)(12, 22, 25)(14, 28, 17)(16, 19, 20)(18, 21, 23), (2, 16, 18)(3, 20, 23)(4, 15, 11)(5, 28, 27)(6, 10, 14)(7, 9, 22)(8, 25, 24)(11, 13, 17)(19, 21, 26)]) \cong \text{C}_3 \times \text{S}_3$$

$$N_4 = \text{Group}([(3, 26)(4, 27)(5, 15)(6, 7)(8, 13)(9, 10)(11, 24)(12, 28)(14, 22)(17, 25)(19, 20)(21, 23), (2, 27)(4)(3, 14)(8)(5, 15)(16)(6, 25)(20)(7, 19, 17)(9, 21, 11)(10, 24, 23)(12, 18, 28)(13, 22, 26), (2, 26)(4, 11)(5, 9)(6, 24)(7, 27)(8, 10)(12, 17)(13, 15)(14, 25)(16, 19)(18, 21)(22, 28), (2, 18, 16)(3, 23, 20)(4, 12, 15)(5, 27, 28)(6, 14, 10)(7, 22, 9)(8, 24, 25)(11, 17, 13)(19, 26, 21)]) \cong ((C_3 \times C_3) : C_3) : C_2$$

$$N_5 = Group([(3, 26)(4, 27)(5, 15)(6, 7)(8, 13)(9, 10)(11, 24)(12, 28)(14, 22)(17, 25)(19, 20)(21, 23), (2, 26, 3)(4, 7, 24)(5, 13, 10)(6, 27, 11)(8, 15, 9)(12, 22, 25)(14, 28, 17)(16, 19, 20)(18, 21, 23), (2, 6, 22)(3, 17, 4)(5, 8, 26)(7, 16, 10)(9, 18, 14)(11, 15, 20)(12, 23, 13)(19, 28, 25)(21, 27, 24), (3, 17, 26, 25)(4, 9, 27, 10)(5, 14, 15, 22)(6, 12, 7, 28)(8, 23, 13, 21)(11, 19, 24, 20), (3, 27, 25, 9, 26, 4, 17, 10)(5, 8, 22, 21, 15, 13, 14, 23)(6, 20, 28, 24, 7, 19, 12, 11)(16, 18)]) \cong ((C_3 \times C_3) : C_3) : C_3$$